

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE
STATE OF NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JAN 24 1995 NEW PRIORITY DATE: JUN 23 2006
Returned to applicant for correction FEB 21 1995
Corrected application filed _____ Map filed 1-24-95, Existing under
47703 3-15-84

The applicant Carson City Water Utility
3300 Butti Way Bldg. #9 of Carson City
Street and No. or P.O. Box No. City or Town
Nevada 89701 hereby make application for permission to change the
State and Zip Code No.
Point of diversion
Point of diversion, manner of use, and/or place of use
of water heretofore appropriated under 47705
Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and
identify right in Decree.

1. The source of water is Underground
Name of stream, lake, underground spring or other source.
2. The amount of water to be changed .226 CFS 163 AFA
Second feet, acre feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for Municipal
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
4. The water heretofore permitted for Municipal
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
5. The water is to be diverted at the following point NE1/4 NW1/4 Section 7 T.15 N.,
Describe as being within a 40-acre subdivision of public survey and by course and
distance to a section corner. If on unsurveyed land, it should be stated.
R.20 E., MDB & M, or at a point which bears N.59 01' W., 2302 feet
to the Northwest corner of said Section 7.
6. The existing permitted point of diversion is located within SW1/4 SE1/4, Section 8, T.
If point of diversion is not changed, do not answer.
15N., R.20 E., MDB & M or at a point bears N 63 E. A distance of
2400 feet to the Southeast corner of said section 8.
7. Proposed place of use See attached
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
8. Existing place of use See attached
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or
manner of use of irrigation permit, describe acreage to be removed from irrigation.
9. Use will be from No change to _____ of each year.
Month and Day Month and Day
10. Use was permitted from January 1 to December 31 of each year.
Month and Day Month and Day
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.) well, submersible pump and
State manner in which water is to be diverted, i.e. diversion structure,
distribution system
ditches, pipes and flumes, or drilled well, etc.
12. Estimated cost of works \$150,000
13. Estimated time required to construct works one year

14. Estimated time required to complete the application of water to beneficial use 5 years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

~~Please use map on file at the Division of Water Resources under application 47703 to support the existing and proposed place of use.~~

By s/ Charles Welch
3300 Butti Way Bld #9
Carson City NV 89701

Compared gkl/sm cl/cmg

Protested _____

APPROVAL

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of an underground source as heretofore granted under Permit 47705 is issued subject to the terms and conditions imposed in said Permit 47705 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under this permit and all other ground water rights held by Carson City within the Eagle Valley Ground Water Basin shall not exceed 6694.32 acre-feet annually.

(CONTINUED ON PAGE 3)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.226 cubic feet per second, but not to exceed 163.62 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before February 7, 1997

Proof of completion of work shall be filed before March 7, 1997

Application of water to beneficial use shall be made on or before February 7, 2002

Proof of the application of water to beneficial use shall be filed on or before March 7, 2002

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed MAR 30 1998

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
 State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 7th day of February,

A.D. 19 96

R. Michael Turnipseed P.E.
 State Engineer

CANCELLED AUG 28 2006
 BECAUSE OF
 FAILURE OF APPLICANT TO COMPLY WITH THE
 PROVISIONS OF PERMIT

Ty T. P.E.
 STATE ENGINEER
 Can. Rescinded 2-1-2007

ITEM 7 and ITEM 8

PROPOSED AND EXISTING PLACE OF USE

All of T.15 N., R.20 E., MDB&M; E $\frac{1}{2}$ of T.15 N., R.19 E., MDB&M; Sections 2, 3, and 4, E $\frac{1}{2}$ Section 5, and that portion of the N $\frac{1}{2}$ NE $\frac{1}{4}$ Section 6 which lies within Carson City limits, T.14 N., R.20 E., MDB&M; Sections 31, 32, 33, 34, and 35, W $\frac{1}{2}$ Section 36, and those portions of the E $\frac{1}{2}$ Section 36 which lie within Carson City limits, T.16 N., R.20 E., MDB&M; the S $\frac{1}{2}$ of Sections 34, 35, and 36, NE $\frac{1}{4}$ Section 36, and those portions of the SW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 36 and the S $\frac{1}{2}$ NE $\frac{1}{4}$ Section 35 which lie within the Carson City limits, T.16 N., R.19 E., MDB&M.

NOTE: Permit 45549 contains an inadvertent comma in the place of use described as portions of the SW $\frac{1}{4}$, NW $\frac{1}{4}$ Section 36, T.16 N., R.19 E., MDB&M (see supporting map). The description should read those portions of the SW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 36, T.16 N., R.19 E., MDB&M.

(PERMIT TERMS CONTINUED)

A monthly report shall be submitted to the State Engineer within 10 days from the end of each month which shall include the amount of water pumped from the well and the amount of water used.

The permittee shall report to the State Engineer on a quarterly basis the effect of pumping the well under this permit on other previously existing wells that are located within 2,500 feet of the well under this permit.

Any pumping of water under this permit may be limited or prohibited to prevent any unreasonable adverse effects on an existing domestic well located within 2,500 feet of the well under this permit, unless the holder of this permit and the owner of the domestic well have agreed to alternative measures that mitigate adverse effects.

The issuance of this permit expires Permit 60568-T.

The well drilled under Permit 47705 (Carson City Well No. 37) shall be plugged within 90 days from the issuance of this permit, in accordance with NAC 534.420.